

Takeoff Form

Deck surface sq. ft.: # of stairs treads: Width of stair treads (ft): Joist spacing: <input type="checkbox"/> 16" OC Other _____ About:	About you: Contractor Homeowner Business name: Name: <input type="checkbox"/> DIY / building myself <input type="checkbox"/> Looking for contractor <input type="checkbox"/> Already working with a contractor, name: Email: Delivery address: Phone: Salesperson at The Deck Superstore:
--	---

Specify and/or fill out the quantity boxes next to the products you want.

Framing & Lumber

# of Posts: Beam (# ln. ft.):	POSTS: 4x4 Treated: <input type="checkbox"/> 8'; <input type="checkbox"/> 10' 6x6 Treated: <input type="checkbox"/> 8'; <input type="checkbox"/> 10'; <input type="checkbox"/> 12' Other: Glulam - list quantity/length(s): 5x6 Column	BEAM: 2x6 Treated: <input type="checkbox"/> 12'; <input type="checkbox"/> 16' 2x8 Treated: <input type="checkbox"/> 10'; <input type="checkbox"/> 12'; <input type="checkbox"/> 14'; <input type="checkbox"/> 16'; <input type="checkbox"/> 20' 2x10 Treated: <input type="checkbox"/> 12'; <input type="checkbox"/> 14'; <input type="checkbox"/> 16'; <input type="checkbox"/> 20' 2x12 Treated: <input type="checkbox"/> 12'; <input type="checkbox"/> 16'; <input type="checkbox"/> 20' Other: Glulam - list quantity/length(s): 3-1/8x9 Beam 3-1/8x12 Beam 5-1/8x12 Beam
Ledger (# ln. ft.): Perimeter (# ln. ft.): Joists (# ln. ft.):	LEDGER, PERIMETER & JOISTS: 2x6 Treated: <input type="checkbox"/> 12'; <input type="checkbox"/> 16' 2x8 Treated: <input type="checkbox"/> 10'; <input type="checkbox"/> 12'; <input type="checkbox"/> 14'; <input type="checkbox"/> 16'; <input type="checkbox"/> 20' 2x10 Treated: <input type="checkbox"/> 12'; <input type="checkbox"/> 14'; <input type="checkbox"/> 16'; <input type="checkbox"/> 20' 2x12 Treated: <input type="checkbox"/> 12'; <input type="checkbox"/> 16'; <input type="checkbox"/> 20' Other:	PRE-CUT BLOCKING: Bundles of 6 pc. of 14-1/2" (8") <input type="checkbox"/> 2x8 Treated <input type="checkbox"/> 2x10 Treated <input type="checkbox"/> 2x12 Treated
Stair Stringers (# ln. ft.): # of Stair Tread Frames:	STAIR STRINGERS: 2x10 Treated: <input type="checkbox"/> 12'; <input type="checkbox"/> 14'; <input type="checkbox"/> 16'; <input type="checkbox"/> 20' 2x12 Treated: <input type="checkbox"/> 12'; <input type="checkbox"/> 16'; <input type="checkbox"/> 20' Other: Glulam - list quantity/length(s): 3-1/8x12 Beam	STAIR TREAD FRAMES: <input type="checkbox"/> 36" <input type="checkbox"/> 45" <input type="checkbox"/> Custom: _____ inches
	OTHER LUMBER:	

Decking & Fascia

Deck Surface (# ln. ft.):	DECKING COLOR 1 – Brand/Type/Color(s):	FASCIA COLOR – Brand/Type/Color(s):
Decking for	<input type="checkbox"/> 12' grooved	<input type="checkbox"/> 1x12x12'
Stair Tread (# ln. ft.):	<input type="checkbox"/> 16' grooved	<input type="checkbox"/> 1x8x12'
	<input type="checkbox"/> 20' grooved	OTHER FASCIA:
Fascia for	<input type="checkbox"/> 16' square edged	<input type="checkbox"/> of ___'
Deck Perimeter (# ln. ft.):	<input type="checkbox"/> 20' square edged	<input type="checkbox"/> of ___'
	DECKING COLOR 2:	
Fascia for	<input type="checkbox"/> 12' grooved	
Stair Stringers (# ln. ft.):	<input type="checkbox"/> 16' grooved	
	<input type="checkbox"/> 20' grooved	
Fascia for	<input type="checkbox"/> 16' square edged	
Stair Risers (# ln. ft.):	<input type="checkbox"/> 20' square edged	
	OTHER DECKING:	
	<input type="checkbox"/> of ___'	
	<input type="checkbox"/> of ___'	
	<input type="checkbox"/> of ___'	

Railing

# of Railing Posts for Deck:	RAILING POSTS – Brand/Type/Color(s):	RAILING SECTIONS – Brand/Type/Color(s):
# of Railing Posts for Stair:	<input type="checkbox"/> Railing Posts/Sleeves for Deck	<input type="checkbox"/> 6 ft. Railing Sections for Deck
	<input type="checkbox"/> Railing Posts/Sleeves for Stair	<input type="checkbox"/> 8 ft. Railing Sections for Deck
ADA Graspable Stair Railing (# ln. ft.):	<input type="checkbox"/> Post Caps	<input type="checkbox"/> 6 ft. Railing Sections for Stair
	<input type="checkbox"/> Post Skirts	<input type="checkbox"/> 8 ft. Railing Sections for Stair
	Other railing post parts, or notes:	Other rail sections/pieces: <input type="checkbox"/> of ___
	STRUCTURAL POSTS:	Balusters: <input type="checkbox"/> of ___
	<input type="checkbox"/> Redwood 4x4x48"	Baluster connectors for deck: <input type="checkbox"/> of ___
	<input type="checkbox"/> Redwood 4x4x54"	Baluster connectors for stair: <input type="checkbox"/> of ___
	<input type="checkbox"/> Doug fir 4x4x48"	Mounting hardware for deck: <input type="checkbox"/> of ___
	<input type="checkbox"/> Doug fir 4x4x54"	Mounting hardware for stair: <input type="checkbox"/> of ___
	<input type="checkbox"/> Titan 4x4x38"	Mounting hardware for multi-angle/other: <input type="checkbox"/> of ___
	<input type="checkbox"/> Titan 4x4x38"	Clips for top/drink rail <input type="checkbox"/> (# deck/level rail sections)
	<input type="checkbox"/> Angle Wizard 4x4x36"	Other/notes:
		(Railing has many variations, with different parts required for each. This is only a BASIC checklist for you to specify quantities and options. Write what you know - your salesperson can collaborate with you to finish it.)
		ADA GRASPABLE STAIR RAILING:
		<input type="checkbox"/> 8' Rail
		<input type="checkbox"/> Return/termination
		<input type="checkbox"/> Line bracket/support
		<input type="checkbox"/> Splice/connector
		ADA Other Parts

Hardware

# of Frame Posts: Beam (# ln. ft.):	POST BASE: <input type="checkbox"/> ABA44Z <input type="checkbox"/> ABW44Z <input type="checkbox"/> ABU44Z <input type="checkbox"/> EPB44HDG <input type="checkbox"/> Titan 4x4 post mount <input type="checkbox"/> ABA66Z <input type="checkbox"/> ABW66Z <input type="checkbox"/> ABU66Z <input type="checkbox"/> EPB66HDG <input type="checkbox"/> ABA66RZ <input type="checkbox"/> Titan 6x6 post mount	CONCRETE BOLTS & SCREWS: J-Bolt (wet set) <input type="checkbox"/> 1/2x8" <input type="checkbox"/> 5/8x8" Wedge Anchor (pound-in) <input type="checkbox"/> 1/2x4-1/4" <input type="checkbox"/> 1/2x7" <input type="checkbox"/> 5/8x4-1/2" <input type="checkbox"/> 5/8x7" Wedge Bolt <input type="checkbox"/> 1/2x4" <input type="checkbox"/> 1/2x5" <input type="checkbox"/> 1/2x6" GRK Calliburn XL <input type="checkbox"/> 19/64"x3-1/2"	POST TO BEAM: <input type="checkbox"/> AC4Z <input type="checkbox"/> LPC4Z <input type="checkbox"/> LCE4Z <input type="checkbox"/> BC4Z <input type="checkbox"/> AC6Z <input type="checkbox"/> LPC6Z <input type="checkbox"/> AC6RZ	HURRICANE TIES: <input type="checkbox"/> H2.5Z <input type="checkbox"/> H1Z
Ledger (# ln. ft.):	JOIST HANGERS-SINGLE: <input type="checkbox"/> LUS24Z <input type="checkbox"/> LUS26Z <input type="checkbox"/> LUS28Z <input type="checkbox"/> LUS210Z	JOIST HANGERS-DOUBLE: <input type="checkbox"/> LUS26-2Z <input type="checkbox"/> LUS28-2Z <input type="checkbox"/> LUS210-2Z	JOIST HANGERS-CONCEALED FLANGE: <input type="checkbox"/> LUC26Z <input type="checkbox"/> LUC210Z <input type="checkbox"/> HUC28-2Z <input type="checkbox"/> HUC210-2Z	JOIST HANGERS-SKEWED LEFT/RIGHT <input type="checkbox"/> SUL26Z <input type="checkbox"/> SUL210Z <input type="checkbox"/> SUR26Z <input type="checkbox"/> SUR210Z
Perimeter (# ln. ft.): Stair Stringers (# ln. ft.):	ANGLES: <input type="checkbox"/> L50Z <input type="checkbox"/> L70Z <input type="checkbox"/> L90Z Adjustable: <input type="checkbox"/> LS50Z <input type="checkbox"/> LS70Z <input type="checkbox"/> LS90Z	STRAPS/STAIR: <input type="checkbox"/> MSTA18Z <input type="checkbox"/> MSTA24Z <input type="checkbox"/> LSCZ	REINFORCING BRACKETS: <input type="checkbox"/> FastenMaster LTS <input type="checkbox"/> Simpson DTTZ <input type="checkbox"/> RRBL Left <input type="checkbox"/> RRBL Right <input type="checkbox"/> Sway Brace 12" OC <input type="checkbox"/> Sway Brace 16" OC	NAILS/SCREWS FOR CONNECTORS: Nails HDG (per lb.) <input type="checkbox"/> Teco 1-1/2" (112 per lb.) <input type="checkbox"/> 10D 3" (76 per lb.) <input type="checkbox"/> 16D 3-1/2" (54 per lb.) Simpson SD (box = 100 ct.) <input type="checkbox"/> #9x1-1/2" <input type="checkbox"/> #10x1-1/2" <input type="checkbox"/> #9x2-1/2" <input type="checkbox"/> #10x2-1/2" Nails HDG Collated 21-deg (1000 ct) <input type="checkbox"/> 3"x .120 <input type="checkbox"/> 3-1/4"x .131
# of Railing Posts for Deck: # of Railing Posts for Stair:	CONSTRUCTION SCREWS: <input type="checkbox"/> LedgerLok 3-5/8" <input type="checkbox"/> LedgerLok 5" <input type="checkbox"/> FlatLok 4" <input type="checkbox"/> FlatLok 5" <input type="checkbox"/> TimberLok 2-1/2" <input type="checkbox"/> TimberLok 4" <input type="checkbox"/> TimberLok 6" <input type="checkbox"/> TimberLok 8" <input type="checkbox"/> HeadLok 6"	<input type="checkbox"/> Simpson SDWS 5" <input type="checkbox"/> Simpson SDS 3-1/2" <input type="checkbox"/> GRK RSS 2-1/2" <input type="checkbox"/> GRK RSS 6" <input type="checkbox"/> Big Timber CTX 2-1/2" <input type="checkbox"/> Big Timber CTX 4" <input type="checkbox"/> Big Timber CTX 5" <input type="checkbox"/> Big Timber CTX 6" <input type="checkbox"/> Big Timber CTX 10"	CARRIAGE BOLTS: ThruLok w/ nut <input type="checkbox"/> 6-1/4" <input type="checkbox"/> 7" <input type="checkbox"/> 8" <input type="checkbox"/> 9-1/2" Carriage w/ torque washer, flat washer, nut <input type="checkbox"/> 3/8x6" <input type="checkbox"/> 3/8x8" <input type="checkbox"/> 1/2x6" <input type="checkbox"/> 1/2x8" <input type="checkbox"/> 1/2x10"	LAG BOLT w/ washer: <input type="checkbox"/> 3/8x5" <input type="checkbox"/> 3/8x6" <input type="checkbox"/> 1/2x5" <input type="checkbox"/> 1/2x6" <input type="checkbox"/> 1/2x8"

Hardware (continued)

<p>Deck fastener sq. ft. (or equivalent for joist spacing other than 16 in.):</p> <p>Decking Surface Fasteners:</p> <p>Decking Perimeter Fasteners (# boxes):</p> <p>Decking Stair Fasteners (# boxes):</p> <p>Fascia Screws (100ct. box):</p>	<p>HIDDEN DECK FASTENERS:</p> <p>Camo Edge Clips: <input type="checkbox"/> 90 (50 sq. ft.) <input type="checkbox"/> 900 (500 sq. ft.)</p> <p>Edge X Clips <input type="checkbox"/> 90 (50 sq. ft.)</p> <p>TigerClaw TCG <input type="checkbox"/> 90 (50 sq. ft.)</p> <p>Collated screws for 500 sq. ft. bucket, 33-deg <input type="checkbox"/> 900 (500 sq. ft., no screws)</p> <p>Trex Universal <input type="checkbox"/> 90 (50 sq. ft.) <input type="checkbox"/> 900 (500 sq. ft.)</p> <p>TimberTech ConcealLoc <input type="checkbox"/> 175 (100 sq. ft.)</p> <p>Collated screws for 500 sq. ft. bucket, 33-deg <input type="checkbox"/> 900 (500 sq. ft., with collated screws)</p> <p>Duralife StepClip <input type="checkbox"/> Strip of 4 (2 sq. ft.) loose 1-1/4" nails <input type="checkbox"/> 75 strips of 4 = 300 (150 sq. ft.) collated 1-1/4" nails;</p> <p>Camo Screws (hidden) 1-7/8 for 1" decking: <input type="checkbox"/> 350 ct. (100 sq. ft.) <input type="checkbox"/> 1750 ct. (500 sq. ft.)</p> <p>Camo Screws (hidden) 2-3/8 for 1-1/2" decking: <input type="checkbox"/> 350 ct. (100 sq. ft.) <input type="checkbox"/> 1750 ct. (500 sq. ft.)</p> <p>Invisi-Fast <input type="checkbox"/> Sold individually</p>	<p>DECK SCREWS:</p> <p>2-3/4" Deckfast Cap-Tor Specify color <input type="checkbox"/> 100 ct. <input type="checkbox"/> 350 ct. <input type="checkbox"/> 1750 ct.</p> <p>DECK SCREWS 2:</p> <p>2-3/4" Deckfast Cap-Tor Specify color <input type="checkbox"/> 100 ct. <input type="checkbox"/> 350 ct. <input type="checkbox"/> 1750 ct.</p> <p>FASCIA SCREWS:</p> <p>Headcote 100 ct. Stainless Steel 1-7/8" Fascia Screw Specify color <input type="checkbox"/> 100 ct. <input type="checkbox"/> Starborn Fascia Bit</p> <p>WOOD SCREWS:</p> <p>Deckfast 430 ct. <input type="checkbox"/> Tan #9x2-1/2" (430 ct.) <input type="checkbox"/> Red #9x2-1/2" (430 ct.) <input type="checkbox"/> Tan #9x3" (430 ct.) <input type="checkbox"/> Red #9x3" (430 ct.)</p> <p>Bronze Star Drive per lb. <input type="checkbox"/> #9x2" (~118 ct.) <input type="checkbox"/> #9x2-1/2" (~93 ct.) <input type="checkbox"/> #9x3" (~79 ct.)</p>
<p>Ledger (# ln. ft.):</p>	<p>LEDGER FLASHING:</p> <p><input type="checkbox"/> Vinyl Coil 5-1/2"x25'</p> <p>ADHESIVE FLASHING:</p> <p><input type="checkbox"/> SuperStick 2"x50' (Joist Tape) <input type="checkbox"/> SuperStick 4"x50' (Beam Tape) <input type="checkbox"/> Trex Protect 1-3/8"x50' (Joist Tape) <input type="checkbox"/> Trex Protect 3-1/8"x50' (Beam Tape) <input type="checkbox"/> Vycor 4"x75' <input type="checkbox"/> Vycor 6"x75' <input type="checkbox"/> Vycor 9"x75'</p>	<p>DECK DRAINAGE:</p> <p><input type="checkbox"/> 12' Trough <input type="checkbox"/> 16' Trough <input type="checkbox"/> Down Spout <input type="checkbox"/> 4"x50' Butyl tape <input type="checkbox"/> Butyl Caulk</p>
<p>Timeframe:</p>	<p>LIGHTING:</p> <p>TOOLS:</p> <p>STAIN/PAINT:</p> <p><input type="checkbox"/> 1 gallon <input type="checkbox"/> 5 gallon</p>	<p>ANYTHING ELSE? Other products? Questions? Notes?</p>

Send this takeoff to your salesperson to have it quoted.